


This is the way
in which the birds
seem to be most
interested, when they
usually join their
flocks.



August 16
Nest site of
Black-billed hornbills

nest
hole



Nov. 24
♀ Tring
Note that wing
must be raised



Wing might
be further forward

Yellow-bell



September 4, 1976
Road to Ossonge


♂ Yellowbill
Alert. Pre-Cop.



♀ ←



♂
"HF"
or looking
away



♀ Yellowbill
Pre-Cop
Probably not high
intensity

Yellow "wattle"
comparisons in ♀'s






Oct. 28

Semi-CR



B. L. 1000

Great 200 also CR




Megascops ♀
Sept. 25



Bluebellies
Sept. 26



Oct 12
Relaxed
attention



Pattern designed to emphasize
longness of head


Sea Wing pattern

Oct. 20

Stuffed with red feathers



Oct. 23
After song



Mal.
Oct. 14
Song



Body longer?
Just a little

Wed Oct 4

"Bright" and
Belly fluffing

Feet, small feathers



Long
Feet

Small feathers

120

Lilae Oct. 25



From side
and below

Alyssinian
Oct. 20

Less chunky than
Bluebelly



Rather fluffed
Perhaps sunny

Upper back brown.
Lower back deep blue.
Center tail dark, sides
more turquoise

Nov. 19

Head smooth
White band across
eye and below



Nov. 2
Osage



Posture can also be more
erect, with tail down
Streamers are outer feathers
Back + scapulars brown
Bright blue bend wing

Dec 1



May 12
"Hirundo" in cold

Eyestreak is conspicuous
At distance, appears confluent
with bill



Nov. 29.



Nov. 12
Humboldt, island
with island



CR
Nov. 29



Dec. 21
Juv. Sharp
Tad C-billed by Accipiter

Nov. 13

♀



♂



Dec. 28


Dec. 23

07



Quick snapshots
and a few
snapshots (?) and a
snapshot

Nov-18



White

brown

Jan 12
Crest not
always ruffled



Crest always ruffled
all of the time



Jan 13



Bill is almost fork-like
Effect of tail in this position
quite different from above

Not unlike vacuus

Nov 24
Pre-flying
Pre-attack




Blue throat

Pelagic



Nov. 29



Dec 5

F

One partial
reconstruction of
version

Other versions
often higher



Dec. 4

← wind



Jan 1

Tropicoramus



Jan 11



Dec 26

hardtoula



Jan 10 + 11

Pipose



Jan 22




W. L. ...
...
...
2.117




Am. ? Jan 24
Fluffed



Chestnut stripe
on wings bordered
black



Jan 27
Red-bell "plumes"



Jan 31



June 29



Feb 23



Feb. 5




Q. M.


Q. M.

Q. M.

Q. M.




Wing Redbill



Lengthly not spread

Blackbill



Feb 23



Mar 2

Low point
Longid-Doublet

♀



1891
 May 2
 H. H. H. H.



1891
 May 2
 H. H. H. H.

23

Apr 3 1911

Grasshopper

June 1911



Grasshopper

Grasshopper

Grasshopper

Apr 23 1911

burghalensis



Festuca
(Common)



1884
June
1884


Dec 16 1900



Chrysomitris
Sep 12 79


50

Small
Puffin



Small Puffin
with black
feathers

Chlor
 fusca



Chlor
 fusca
 Chrysocentrus
 chloroceryx



Chloroceryx

2 Nov Jan 20, 1911



More
of the same
of the same
reference "rappid"

W.H.
 Feb 26/1917

Blue Jay
 1st year
 2nd year
 3rd year
 4th year
 5th year
 6th year
 7th year
 8th year
 9th year
 10th year



1st year
 2nd year
 3rd year



Note it is possible that many
 couples also are early. (I am not sure)
 They would not be so early as the
 Blue Bird I doubt it. (All birds are
 late now)

Mar. 17, 1904. Palau H. L. ...

p. 22





Feb. 19
 Thiarouye
Sepiola sp.

Chromatophores
 individually movable.

Eye ridges and some
 body organs dark.

Top rear body almost
 golden, almost RL

Arms swept down, to
 the sides. Often
 completely movable.



Again, arms
 can be further back

Head-body
 proportions perhaps
 correct

? face

Blue tail

July 27, 1891

